



# COVID-19 Recommended Practices for Construction Jobsites

*Updated: May 21, 2020*

## Personal Responsibilities

- It is critical that individuals NOT report to work while they are experiencing illness symptoms such as fever, cough, shortness of breath, sore throat, runny/stuffy nose, body aches, chills, or fatigue.
- Individuals should seek medical attention if they develop these symptoms.

## Social Distancing

- Do not host large group meetings. CDC recommends that we avoid gatherings of 10+ people; and when meeting, that we keep a 6 foot distance between people. Perform meetings online or via conference call whenever possible.
- To limit the number of people on a jobsite, allow non-essential personnel to work from home when possible.
- Discourage hand-shaking and other contact greetings.

## Jobsite / Office Practices

- Communicate key CDC recommendations (and post signage where appropriate) to your staff and tradespeople:
  - [How to Protect Yourself](#)
  - [If You are Sick](#)
  - [COVID-19 Frequently Asked Questions](#)
  - Place posters that encourage [staying home when sick](#), [cough and sneeze etiquette](#), and [hand hygiene](#) at the entrance to your workplace and in other workplace areas where they are likely to be seen.
- Supervisors should ask the following questions to all employees prior to entering the jobsite. If they answer “yes” to any, they should be asked to leave the jobsite immediately. Anyone asked to leave should not return to work until 24-hours after they are free from a fever or signs of a fever without the use of fever-reducing medication.
  - Have you, or anyone in your family, been in contact with a person that has tested positive for COVID-19?
  - Have you, or anyone in your family, been in contact with a person that is in the process of being tested for COVID-19?
  - Have you, or anyone in your family traveled outside of the U.S. within the last two weeks?
  - Have you been medically directed to self-quarantine due to possible exposure to COVID-19?
  - Are you having trouble breathing or have you had flu-like symptoms within the past 48 hours, including: fever, cough, shortness of breath, sore throat, runny/stuffy nose, body aches, chills, or fatigue?
- Instruct employees to clean their hands often with an alcohol-based hand sanitizer that contains at least 60-95% alcohol, or wash their hands with soap and water for at least 20 seconds. Soap and water should be used preferentially if hands are visibly dirty.



# COVID-19 Recommended Practices for Construction Jobsites

*Updated: May 21, 2020*

- Provide soap and water and alcohol-based hand rubs in the workplace. Ensure that adequate supplies are maintained. Place hand rubs in multiple locations or in conference rooms to encourage hand hygiene.
- Do not congregate in lunch areas.
- Do not share tools or any multi-user devices and accessories such as iPads, laptops, hand-held radios, computer stations, etc.
- Limit the exchange/sharing of paper documents by encouraging use of electronic communication whenever possible.
- Do not share personal protection equipment (PPE).
- Sanitize reusable PPE per manufacturer's recommendation prior to each use.
- Ensure used PPE is disposed of properly.
- Utilize disposable gloves where appropriate; instruct workers to wash hands after removing gloves.
- Disinfect reusable supplies and equipment.
- Identify specific locations and practices for daily trash such as: paper, hand towels, food containers, etc. Instruct workers responsible for trash removal in proper PPE/hand washing practices.
- Provide routine environmental cleaning (doorknobs, keyboards, counters, and other surfaces).
- Do not use a common water cooler. Provide individual water bottles or instruct workers to bring their own.
- Utilize shoe sanitation tubs (non-bleach sanitizer solution) prior to entering/leaving jobsite).
- Instruct workers to change work clothes prior to arriving home; and to wash clothes in hot water with laundry sanitizer.
- Don't stack trades if possible.
- Utilize disposable hand towels and no-touch trash receptacles.
- Request additional/increased sanitation (disinfecting) of portable toilets.
- Avoid cleaning techniques, such as using pressurized air or water sprays that may result in the generation of bioaerosols.
- Clean surfaces of service/fleet vehicles, steering wheel, gear shift, instrument panels, etc.; use aerosol sanitizers inside closed cabs.
- In regards to shuttling employees, ensure distancing and encourage workers to provide their own transportation where possible.
- Utilize telemedicine services where practical for injury consultation and triage, as well as COVID-19 consultation.

## **Additional Construction Workforce Guidance from Harris County, Texas issued on May 21, 2020:**

- Identify a qualified workplace coordinator who will be responsible for COVID-19 assessment and control planning; all workers should know how to contact the coordinator with COVID-19 concerns
- Ensure that every worker or contractor who enters a jobsite has signed in and keep a list of and contact information for every worker or contractor who enters the jobsite every day for the purpose of identifying and notifying individuals who have shared a jobsite with someone who has been confirmed to have COVID-19

## COVID-19 Recommended Practices for Construction Jobsites

*Updated: May 21, 2020*

- Require all employees to wear face coverings such as a mask, cloth mask, bandana, scarf or shield to protect others
- Provide one (1) working flush toilet for every fifteen (15) workers on site or one (1) outdoor portable toilet for every ten (10) workers on site
- Provide rest breaks of at least fifteen (15) minutes for every four (4) hours worked so workers may follow hygiene guidelines

### Managing Sick Employees

- Actively encourage sick employees to stay home. Employees who have symptoms of acute respiratory illness are recommended to stay home and not return to work until they are free of fever (100.4° F [38.0° C] or greater using an oral thermometer), signs of a fever, and any other symptoms for at least 24 hours, without the use of fever-reducing or other symptom-altering medicines (e.g. cough suppressants). Employees should notify their supervisor and stay home if they are sick.
- Separate sick employees. CDC recommends that employees who appear to have acute respiratory illness symptoms (i.e. cough, shortness of breath) upon arrival to work or become sick during the day should be separated from other employees and be sent home immediately.
- Communicate your company's Human Resources practices for managing sick time related to COVID-19.

### Government Resources

- AGC of America has assembled general guidance and links to information from our federal agency partners and health organizations. [Click here to access.](#)
- For OSHA standards and directives and other related information that may apply to worker exposure to COVID-19, visit their website: <https://www.osha.gov/SLTC/covid-19/standards.html>.

